



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.09.2015

Version number 2

Revision: 09.07.2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** *helmitin® 14030*
- **Article number:** 114020.0110.01
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Product category** PC1 Adhesives, sealants
- **Application of the substance / the mixture** Adhesives
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
H.B. Fuller, Isar-Rakoll, S.A.  
Estrada Nacional 13  
PT-4486-851 Mindelo - Vila do Conde  
+351 229 288 200  
EU-MSDS@hbfuller.com
- **Informing department:** Regulatory Department
- **1.4 Emergency telephone number:**  
NCEC emergency service  
+44 (0) 1235 239 670 (24 hours)

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2	H319	Causes serious eye irritation.
Carc. 2	H351	Suspected of causing cancer.
STOT SE 3	H335-H336	May cause respiratory irritation. May cause drowsiness or dizziness.
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.
Aquatic Chronic 2	H411	Toxic to aquatic life with long lasting effects.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07 GHS08 GHS09

- **Signal word** Warning
- **Hazard-determining components of labelling:**  
*dichloromethane*  
*tetrachloroethylene*
- **Hazard statements**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H351 Suspected of causing cancer.  
H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.  
H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.09.2015

Version number 2

Revision: 09.07.2015

**Trade name: helmitin® 14030**

(Contd. of page 1)

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

Contains Rosin. May produce an allergic reaction.

**2.3 Other hazards****Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

**3.2 Chemical characterisation: Mixtures****Description:**

Adhesive.

Polychloroprene

**Dangerous components:**

CAS: 75-09-2 EINECS: 200-838-9 Reg.nr.: 01-2119480404-41-xxxx	dichloromethane ----- Carc. 2, H351; STOT RE 2, H373; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335-H336	25-50%
CAS: 127-18-4 EINECS: 204-825-9	tetrachloroethylene ----- Carc. 2, H351; Aquatic Chronic 2, H411	25-50%
CAS: 8050-09-7 EINECS: 232-475-7	Rosin ----- Skin Sens. 1, H317	0.1-1%

Additional information For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures****General information**

Instantly remove any clothing soiled by the product.

Take affected persons into the open air.

After inhalation Supply fresh air; consult doctor in case of symptoms.

**After skin contact**

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing Do not induce vomiting; instantly call for medical help.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

GB

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.09.2015

Version number 2

Revision: 09.07.2015

Trade name: **helmitin® 14030**

(Contd. of page 2)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**  
Can be released in case of fire  
Carbon monoxide and carbon dioxide
- **5.3 Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.
- **Additional information**  
Collect contaminated fire fighting water separately. It must not enter drains.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Wear protective clothing.
- **6.2 Environmental precautions:**  
Do not allow to enter drainage system, surface or ground water.  
Inform respective authorities in case product reaches water or sewage system.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Send for recovery or disposal in suitable containers.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Store in cool, dry place in tightly closed containers.  
Ensure good ventilation/exhaustion at the workplace.  
Take note of emission threshold.  
Use solvent-proof equipment.  
Keep out of the reach of children.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Prevent any penetration into the ground.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
Protect from heat and direct sunlight.  
Store in cool, dry conditions in original sealed container
- **Recommended storage temperature:** +10 °C - +25 °C

(Contd. on page 4)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.09.2015

Version number 2

Revision: 09.07.2015

Trade name: **helmitin® 14030**

(Contd. of page 3)

- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **8.1 Control parameters**

- **Components with limit values that require monitoring at the workplace:**

#### 75-09-2 dichloromethane

WEL	Short-term value: 1060 mg/m <sup>3</sup> , 300 ppm Long-term value: 350 mg/m <sup>3</sup> , 100 ppm BMGV, Sk
-----	--

#### 127-18-4 tetrachloroethylene

WEL	Short-term value: 689 mg/m <sup>3</sup> , 100 ppm Long-term value: 345 mg/m <sup>3</sup> , 50 ppm
-----	--

- **Ingredients with biological limit values:**

#### 75-09-2 dichloromethane

BMGV	30 ppm Medium: end-tidal breath Sampling time: post shift Parameter: carbon monoxide
------	---

- **Additional information:** The lists that were valid during the compilation were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

The usual precautionary measures should be adhered to general rules for handling chemicals.

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- **Breathing equipment:** Use breathing protection in case of insufficient ventilation.

- **Recommended filter device for short term use:** Combination filter A-P2

- **Protection of hands:**

Solvent resistant gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material:  $\geq 7$  mm

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.09.2015

Version number 2

Revision: 09.07.2015

Trade name: **helmitin® 14030**

(Contd. of page 4)

· **Eye protection:**

Tightly sealed safety glasses.

· **Body protection:** Protective work clothing.

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**· **General Information**· **Appearance:**

<b>Form:</b>	Fluid
<b>Colour:</b>	Black
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.

· **pH-value:** Not determined.· **Change in condition**

<b>Melting point/Melting range:</b>	Not determined
<b>Boiling point/Boiling range:</b>	40 °C (DIN 53171)

· **Flash point:** Not applicable· **Inflammability (solid, gaseous)** Not applicable.· **Ignition temperature:****Decomposition temperature:** Not determined.· **Self-inflammability:** Product is not selfigniting.· **Danger of explosion:** Product is not explosive.· **Critical values for explosion:**

<b>Lower:</b>	13.0 Vol % (EN 1839)
<b>Upper:</b>	22.0 Vol % (EN 1839)

· **Vapour pressure at 20 °C:** 453 hPa (DIN 51640)· **Density at 20 °C** 1.45 g/cm<sup>3</sup> (DIN 51757)· **Relative density** Not determined.· **Vapour density** Not determined.· **Evaporation rate** Not determined.· **Solubility in / Miscibility with****Water:** Not miscible or difficult to mix· **Partition coefficient (n-octanol/water):** Not determined.· **Viscosity:**

<b>dynamic at 20 °C:</b>	3700 mPas (Brookfield (ISO 2555))
<b>kinematic:</b>	Not determined.

· **Solvent content:****Organic solvents:** 86.9 %**Solids content:** 13.0 % (ISO 3251)

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.09.2015

Version number 2

Revision: 09.07.2015

Trade name: **helmitin® 14030**

(Contd. of page 5)

· **9.2 Other information**

No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

#### 75-09-2 dichloromethane

Oral	LD50	1600 mg/kg (rat)
	LDLo	357 mg/kg (Human)
Dermal	LD50	>2000 mg/kg (rat)
Inhalative	LC50/30 min.	88 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity**  
Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause respiratory irritation. May cause drowsiness or dizziness.
- **STOT-repeated exposure**  
May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

#### 75-09-2 dichloromethane

EC50/48h	1682 mg/l (Daphnia magna)
IC50/96h	> 660 mg/l (Selenastrum capricornutum)

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.09.2015

Version number 2

Revision: 09.07.2015

Trade name: **helmitin® 14030**

(Contd. of page 6)

LC50/96h	220 mg/l ( <i>Lepomis macrochirus</i> ) 310 mg/l ( <i>Pimephales promelas</i> )
----------	--

· **12.2 Persistence and degradability**

**75-09-2 dichloromethane**

Bio.Abbaubark./28 d | 5 - 26 % (-)

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Toxic for fish

· **Additional ecological information:**

· **General notes:**

Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

· **European waste catalogue**

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
----------	---

08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
----------	---

08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances
-----------	--

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, IMDG, IATA**

UN2810

· **14.2 UN proper shipping name**

· **ADR**

2810 TOXIC LIQUID, ORGANIC, N.O.S.  
(DICHLOROMETHANE,  
TETRACHLOROETHYLENE),  
ENVIRONMENTALLY HAZARDOUS

· **IMDG**

TOXIC LIQUID, ORGANIC, N.O.S.  
(DICHLOROMETHANE,  
TETRACHLOROETHYLENE), MARINE

(Contd. on page 8)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.09.2015

Version number 2

Revision: 09.07.2015

Trade name: **helmitin® 14030**

(Contd. of page 7)

· **IATA** POLLUTANT  
TOXIC LIQUID, ORGANIC, N.O.S.  
(DICHLOROMETHANE,  
TETRACHLOROETHYLENE)

· **14.3 Transport hazard class(es)**· **ADR, IMDG**

· **Class** 6.1 Toxic substances.  
· **Label** 6.1

· **IATA**

· **Class** 6.1 Toxic substances.  
· **Label** 6.1

· **14.4 Packing group**· **ADR, IMDG, IATA**

III

· **14.5 Environmental hazards:**

Product contains environmentally hazardous substances: tetrachloroethylene

· **Marine pollutant:**

Yes

Symbol (fish and tree)

· **Special marking (ADR):**

Symbol (fish and tree)

· **14.6 Special precautions for user**

Warning: Toxic substances.

· **Kemler Number:**

60

· **EMS Number:**

F-A, S-A

· **Segregation groups**

Liquid halogenated hydrocarbons

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**· **ADR**· **Limited quantities (LQ)**

5L

· **Transport category**

2

· **Tunnel restriction code**

E

· **UN "Model Regulation":**UN2810, TOXIC LIQUID, ORGANIC, N.O.S.  
(DICHLOROMETHANE,  
TETRACHLOROETHYLENE),  
ENVIRONMENTALLY HAZARDOUS, 6.1, III

GB

(Contd. on page 9)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.09.2015

Version number 2

Revision: 09.07.2015

Trade name: **helmitin® 14030**

(Contd. of page 8)

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Technical instructions (air):**

Class	Share in %
I	50-100

- **Water hazard class:** Water danger class 3 (Self-assessment): extremely hazardous for water.
- **VOC (EU) %** 86.87 %
- **Code MAL** 5-6
- **VOC (EU)** 1259.6 g/l
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

GB

(Contd. on page 10)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.09.2015

Version number 2

Revision: 09.07.2015

Trade name: **helmitin® 14030**

(Contd. of page 9)

### Annex: Exposure scenario

- **Short title of the exposure scenario** Industrielle Verwendung von Beschichtungen und Klebstoffen
- **Sector of Use SU3** Industrial uses: Uses of substances as such or in preparations at industrial sites
- **Product category PC1** Adhesives, sealants
- **Process category**
  - PROC1 Use in closed process, no likelihood of exposure
  - PROC2 Use in closed, continuous process with occasional controlled exposure
  - PROC3 Use in closed batch process (synthesis or formulation)
  - PROC4 Use in batch and other process (synthesis) where opportunity for exposure arises
  - PROC5 Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)
  - PROC8a Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
  - PROC8b Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
  - PROC15 Use as laboratory reagent
- **Environmental release category**
  - ERC2 Formulation of preparations
  - ERC4 Industrial use of processing aids in processes and products, not becoming part of articles
- **Description of the activities / processes covered in the Exposure Scenario**  
See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use** Customary application according to section 1.
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**  
The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.
- **Physical state** Fluid
- **Concentration of the substance in the mixture** Raw material.
- **Other operational conditions** Observe the normal safety regulations when handling chemicals
- **Other operational conditions affecting environmental exposure** Use only on hard ground.
- **Other operational conditions affecting consumer exposure** Keep out of the reach of children.
- **Other operational conditions affecting consumer exposure during the use of the product**  
Not applicable.
- **Risk management measures**
- **Worker protection**  
The usual precautionary measures should be adhered to general rules for handling chemicals.  
Keep away from foodstuffs, beverages and food.  
Wash hands during breaks and at the end of the work.  
Do not inhale gases / fumes / aerosols.  
Use breathing protection in case of insufficient ventilation.
- **Organisational protective measures** No special measures required.
- **Technical protective measures**  
Use product only in enclosed systems.  
Ensure that suitable extractors are available on processing machines
- **Personal protective measures** Do not inhale gases / fumes / aerosols.
- **Measures for consumer protection**  
Ensure adequate labelling.  
Keep locked up and out of the reach of children.
- **Environmental protection measures**
- **Water** Do not allow to reach sewage system.
- **Soil** Prevent contamination of soil.
- **Disposal measures** Ensure that waste is collected and contained.

(Contd. on page 11)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.09.2015

Version number 2

Revision: 09.07.2015

**Trade name: helmitin® 14030**

(Contd. of page 10)

- **Disposal procedures**  
*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Waste type** *Partially emptied and uncleaned packaging*
- **Exposure estimation**
- **Consumer** *Not relevant for this Exposure Scenario.*

GB